SINO ORTHO LIMITED

(2025-2026)

METAL BRACKETS CATALOG







[YOUR TRUST,OUR RESPONSIBILITY]

GreatWall III Series
Metal Brackets

Interactive Self-Ligating brackets, Made of 17-4 stainless steel,
MIM advanced technology, Laser Welding bring more Ragid strength .
Newest Aesthetic desgin, Contoured apperance for more comfortable!
Laser mark base for easy identify.







≫ Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	10°	9°	5°	5°	9°	10°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.2	1.2	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	3.0	3.6	3.6	3.0	3.2	3.2	3.2

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	7°	0°	0°	0°	0°	7°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.7	1.7	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	2.6	2.6	2.6	2.6	3.2	3.2	3.2

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	GW-III-R01	GW-III-R11	GW-III-R21
0.022"	1 kit	20 pcs	GW-III-R02	GW-III-R12	GW-III-R22

≫ MBT System*

Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.2	1.2	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	3.0	3.6	3.6	3.0	3.2	3.2	3.2

Mandibular

Torque	-17°	-11°	-6°	-6°	-6°	-6°	-6°	-6°	-11°	-17°
Tip	0°	0°	3°	0°	0°	0°	0°	3°	0°	0°
In/Out mm	1.2	1.2	1.2	1.7	1.7	1.7	1.7	1.2	1.2	1.2
Width mm	3.2	3.2	3.2	2.6	2.6	2.6	2.6	3.2	3.2	3.2

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	GW-III-M01	GW-III-M11	GW-III-M21
0.022"	1 kit	20 pcs	GW-III-M02	GW-III-M12	GW-III-M22

* Please consult our sales before placing order

GreatWall II Series
Metal Brackets



The next-generation of GreatWall-II bracket is made from medical grade 17-4 stainless steel through high precision metal injection molding. The unique retentive clasp ensures each step to be perfect in place. It is durable and reliable. With less time required to install, doctors can save costs and improve efficiency.

Archwire slot is an integrated part made through side-core injection molding and precision polishing, resulting into high-quality and accurate.

The baseplate, by employing the new laser welding, eliminates potential deformation due to secondary heating of the brackets in traditional methods of welding.


Mechanical finish covering every corner makes the surface smooth and bright, offering the best wearing experience



Stainless steel 17-4 metal-injection molded construction for strength and durability

Integrated with passive auto-legating, the brackets is less resistant while continuously imposes aligning force on teeth

80 enhanced mesh, ensure better bonding



Laser Number Marking in the base for easy identification

≫ Roth System

● Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	10°	9°	5°	5°	9°	10°	0°	0°
In/Out mm	0.6	0.6	0.6	0.5	0.45	0.45	0.5	0.6	0.6	0.6
Width mm	3.0	3.0	3.0	2.6	3.2	3.2	2.6	3.0	3.0	3.0

● Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	+6°	0°	0°	0°	0°	+6°	0°	0°
In/Out mm	0.6	0.6	0.6	0.6	0.55	0.55	0.6	0.6	0.6	0.6
Width mm	3.0	3.0	3.0	2.6	2.6	2.6	2.6	3.0	3.0	3.0

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	GW-II-R01	GW-II-R11	GW-II-R21
0.022"	1 kit	20 pcs	GW-II-R02	GW-II-R12	GW-II-R22

≫ MBT System

● Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.6	0.6	0.6	0.5	0.45	0.45	0.5	0.6	0.6	0.6
Width mm	3.0	3.0	3.0	2.6	3.2	3.2	2.6	3.0	3.0	3.0

● Mandibular

Torque	-17°	-11°	-6°	-6°	-6°	-6°	-6°	-6°	-11°	-17°
Tip	0°	0°	+3°	0°	0°	0°	0°	+3°	2°	2°
In/Out mm	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5
Width mm	3.0	3.0	3.0	2.6	2.6	2.4	2.6	3.0	3.0	3.0

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	GW-II-M01	GW-II-M11	GW-II-M21
0.022"	1 kit	20 pcs	GW-II-M02	GW-II-M12	GW-II-M22

Spherical Self-Ligating Brackets

Feature:

1, Enclosing semi-spherical surface less irritation to soft tissue and less retention of food and plaque

2, With force dispersion from semi-spherical surface, only 1/20 force impacts on bracket with lower fall-off rate of bracket.

3,Bracket hook on central axis provides correct power for elastic bending .

4, One piece curved base better for bonding.





Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	10°	9°	5°	5°	9°	10°	0°	0°
In/Out mm	0.6	0.6	0.6	0.5	0.45	0.45	0.5	0.6	0.6	0.6
Width mm	3.0	3.0	3.0	2.6	3.2	3.2	2.6	3.0	3.0	3.0

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	+6°	0°	0°	0°	0°	+6°	0°	0°
In/Out mm	0.6	0.6	0.6	0.6	0.55	0.55	0.6	0.6	0.6	0.6
Width mm	3.0	3.0	3.0	2.6	2.6	2.6	2.6	3.0	3.0	3.0

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	BTL-R01	BTL-R11	BTL-R21
0.022"	1 kit	20 pcs	BTL-R02	BTL-R12	BTL-R22

MBT System

Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.6	0.6	0.6	0.5	0.45	0.45	0.5	0.6	0.6	0.6
Width mm	3.0	3.0	3.0	2.6	3.2	3.2	2.6	3.0	3.0	3.0

Mandibular


Torque	-17°	-11°	-6°	-6°	-6°	-6°	-6°	-6°	-11°	-17°
Tip	0°	0°	+3°	0°	0°	0°	0°	+3°	2°	2°
In/Out mm	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5
Width mm	3.0	3.0	3.0	2.6	2.6	2.4	2.6	3.0	3.0	3.0

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	BTL-M01	BTL-M11	BTL-M21
0.022"	1 kit	20 pcs	BTL-M02	BTL-M12	BTL-M22

Tang Series
Metal Brackets

Tang Series Brackets are Made by MIM technology,
two pieces construction, Newest Welding technolog make body and base strongly combined.
80 thicked mesh pad bring more bonding.
Tang Series brackets the most popular brackets in the markets.





80 Gauge mesh, Strength bonding base

≫ Edgewise System

Maxillary

Torque	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Tip	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
In/Out mm	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85
Width mm	2.6	2.6	2.6	2.6	3.0	3.0	2.6	2.6	2.6	2.6

Mandibular

Torque	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Tip	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
In/Out mm	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85
Width mm	2.6	2.6	2.6	2.4	2.4	2.4	2.4	2.6	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	TS-E01	TS-E11	TS-E21
0.022"	1 kit	20 pcs	TS-E02	TS-E12	TS-E22

≫ Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	13°	9°	5°	5°	9°	13°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.6	3.0	3.0	2.6	2.8	2.6	2.6

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.4	2.4	2.4	2.4	2.8	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	TS-R01	TS-R11	TS-R21
0.022"	1 kit	20 pcs	TS-R02	TS-R12	TS-R22

≫ MBT System

Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.8	3.4	3.4	2.8	3.0	2.8	2.8

Mandibular

Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
Tip	0°	0°	+3°	0°	0°	0°	0°	+3°	2°	2°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.4	2.4	2.4	2.4	3.0	2.8	2.8


Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	TS-M01	TS-M11	TS-M21
0.022"	1 kit	20 pcs	TS-M02	TS-M12	TS-M22



Qin Series
Metal Brackets

Qin Series Brackets are made by newest and advanced technology of Metal injection Molding,
One piece construction, Never worry about bonding pad seperated from brackets.
With Micro etched base, Qin Series brackets offers better bonding.

Lower Profile, Accuracy Slot for lower friction,
Hard 17-4 stainless Steel made.
MIM technology made. Sand Blasted base.





≫ Edgewise System

Maxillary

Torque	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Tip	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
In/Out mm	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85
Width mm	2.6	2.6	2.6	2.6	3.0	3.0	2.6	2.6	2.6	2.6

Mandibular

Torque	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Tip	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
In/Out mm	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85
Width mm	2.6	2.6	2.6	2.4	2.4	2.4	2.4	2.6	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	QS-E01	QS-E11	QS-E21
0.022"	1 kit	20 pcs	QS-E02	QS-E12	QS-E22

≫ Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	13°	9°	5°	5°	9°	13°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.6	3.0	3.0	2.6	2.8	2.6	2.6

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.4	2.4	2.4	2.4	2.8	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	QS-R01	QS-R11	QS-R21
0.022"	1 kit	20 pcs	QS-R02	QS-R12	QS-R22

≫ MBT System

Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.8	3.4	3.4	2.8	3.0	2.8	2.8

Mandibular

Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
Tip	0°	0°	+3°	0°	0°	0°	0°	+3°	2°	2°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.4	2.4	2.4	2.4	3.0	2.8	2.8

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	QS-M01	QS-M11	QS-M21
0.022"	1 kit	20 pcs	QS-M02	QS-M12	QS-M22




Qin-II Series



Permanent Vertical Scribe Line
For easy and more accurate placement on the long axis

Generous Tie Wings Area
For easy brackets ligating



Intelligent Hook Design
Smooth rounded hooks reduce soft tissues irritation

Compound Contour base
Superior fit and greater contact surface area for improved retetion

Rounded Archwire slot contours
Mesial and distal slot entry points are rounded to prevent archwire notching when rotations are present and during retraction/protraction procedures

Micro-Etched Pylon base Design
Create by MIM tech, One piece construction base, sand blasted base bring superior retention and bond strength





Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	13°	9°	5°	5°	9°	13°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.6	3.0	3.0	2.6	2.8	2.6	2.6

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.4	2.4	2.4	2.4	2.8	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	QS2-R01	QS2-R11	QS2-R21
0.022"	1 kit	20 pcs	QS2-R02	QS2-R12	QS2-R22

MBT System

Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.8	3.4	3.4	2.8	3.0	2.8	2.8

Mandibular

Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
Tip	0°	0°	+3°	0°	0°	0°	0°	+3°	2°	2°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.4	2.4	2.4	2.4	3.0	2.8	2.8

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	QS2-M01	QS2-M11	QS2-M21
0.022"	1 kit	20 pcs	QS2-M02	QS2-M12	QS2-M22

Lingual Series
Metal Brackets

Lingual brackets are our second generation invisible lingual orthodontic treatment.
Lingual system is made with CNC technology and hard stainless steel metal.
Lingual brackets are most effective Lingual brackets system in the market and need professional skill to operate.

Identification System



Patient kits	Item Numbers	
Description	.018'' Slot	.022'' Solt
Upper/Lower 7-7 hook on 4,5,6,7	L1-18-01	L1-22-01

Edge-wise	Torq.	Ang.	018"Slot	022"Slot
Central,Lateral & Cuspid	-55	0	L1-1811	LS-E2211
Lower Anterior & Cuspid	-44	0	L1-1841	LS-E2241
Upper/Lower Bicuspid	-11	0	L1-1814	LS-E2214





Modern Series *
Metal Brackets


Product design features: Modern series brackets are Mesh Base,
two pieces welding brackets.80 mesh pad are flawless welded to the brackets body by a Laser beam.
Modern series are the most porpular products type last year.
Mickey, Flower, Star and Heart available, so that we can enjoy the beauty at the same time of the treatment.

Product design features

Modern series brackets are Mesh Base, two pieces welding brackets.80 mesh pad are flawless welded to the brackets body by a Laser beam. Modern series are the most porpular products type last year.Mickey, Flower, Star and Heart available, so that we can enjoy the beauty at the same time of the treatment.



Identification System



≫ Edgewise System

Maxillary

Torque	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Tip	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
In/Out mm	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85
Width mm	2.6	2.6	2.6	2.6	3.0	3.0	2.6	2.6	2.6	2.6

Mandibular

Torque	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Tip	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
In/Out mm	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85
Width mm	2.6	2.6	2.6	2.4	2.4	2.4	2.4	2.6	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	MS-E01	MS-E11	MS-E21
0.022"	1 kit	20 pcs	MS-E02	MS-E12	MS-E22

* Please consult our sales before placing order

≫ Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	13°	9°	5°	5°	9°	13°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.6	3.0	3.0	2.6	2.8	2.6	2.6

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.4	2.4	2.4	2.4	2.8	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	MS-R01	MS-R11	MS-R21
0.022"	1 kit	20 pcs	MS-R02	MS-R12	MS-R22

≫ MBT System


Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.8	3.4	3.4	2.8	3.0	2.8	2.8

Mandibular

Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
Tip	0°	0°	+3°	0°	0°	0°	0°	+3°	2°	2°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.4	2.4	2.4	2.4	3.0	2.8	2.8

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"	1 kit	20 pcs	MS-M01	MS-M11	MS-M21
0.022"	1 kit	20 pcs	MS-M02	MS-M12	MS-M22





Vertical Slot brackets

A vertical slot design for ligating.





≫ Roth System

Maxillary

Torque	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Tip	0°	0°	13°	9°	5°	5°	9°	13°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.6	3.0	3.0	2.6	2.8	2.6	2.6

Mandibular

Torque	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Tip	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.6	2.6	2.8	2.4	2.4	2.4	2.4	2.8	2.6	2.6

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"*	1 kit	20 pcs	VBR-R01	VBR-R11	VBR-R21
0.022"	1 kit	20 pcs	VBR-R02	VBR-R12	VBR-R22

≫ MBT System

Maxillary

Torque	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Tip	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.8	3.4	3.4	2.8	3.0	2.8	2.8

Mandibular

Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
Tip	0°	0°	+3°	0°	0°	0°	0°	+3°	2°	2°
In/Out mm	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.5
Width mm	2.8	2.8	3.0	2.4	2.4	2.4	2.4	3.0	2.8	2.8

Slot Size	Assortments Packs	Quantity	With Out Hook	3 with Hook	3,4,5 with Hook
0.018"*	1 kit	20 pcs	VBM-M01	VBM-M11	VBM-M21
0.022"	1 kit	20 pcs	VBM-M02	VBM-M12	VBM-M22

* Please consult our sales before placing order

Molar Brackets



Roth System

Slot Size	Assortments Packs	Quantity	With Out Hook	with Hook
0.018"	1 kit	4 pcs	MB-R01	MB-R11
0.022"	1 kit	4 pcs	MB-R02	MB-R12

MBT Molar brackets

Slot Size	Assortments Packs	Quantity	With Out Hook	with Hook
0.018"	1 kit	4 pcs	MB-M01	MB-M11
0.022"	1 kit	4 pcs	MB-M02	MB-M12

SINO ORTHO LIMITED

Email: info@sinoortho.com Web: www.sinoortho.com
Tel/Fax: 0086-571 89011997 Mobile:0086-137-5823 5369
Address：Room W01 2nd Building Jinjiadu South Road, Yuhang District, Hangzhou City, China.